

COMMERCIAL



Willoughby
Industries, Inc.



Plumbing Fixtures



Aquasurf® Washfountain Features:

- Pre-Assembled Heavy Stainless Steel Pedestal
- Gravity-Feed, Top-Filled Liquid Soap Dispensing system (optional)
- All Brass Bodied, Adjustable Temperature Mixing Valve ASSE 1016
- 303 stainless steel machined spray-head with a vandal-resistant .5 gpm aerator
- Sloan® Infrared Sensor Technology
- Pneumatic Pushbutton Control Option



AquaWave® Lavatory Systems



- Vandal-Resistant
- ADA/UFAS/TAS/CSA *Compliant*
- Adjustable Temperature Control
- Easy-To-Clean Single Basin
- Minimizes Installation Cost
- Conserves Water Usage
- Fewer Waterlines
- Fewer Drains
- Juvenile Heights Available

Configurations:

- WAW-2311 (1 Station)
- WAW-2322 (2 Station)
- WAW-2333 (3 Station)

Valve Selection:

- PM1 / Single Temp Pneumatic
- EL1 / Single Temp Electronic
- IR / Single Temp Infrared Sensor

Vandal Resistant

AquaFount® Washfountains



- Vandal-Resistant
- ADA/UFAS/TAS/CSA *Compliant*
- Adjustable Temperature Control
- Available as a Wall Hung Model
- Available with a Floor Pedestal
- Classic Washfountain Design
- Single Waterline Connection
- Single Drain Connection
- Juvenile Heights Available
- Vandal Resistant

Configurations:

Tri-Head Washfountain

- WAF-3300 (3 Station – Floor Mount)
- WAF-3301 (3 Station – Wall Mount)

Quad-Head Washfountain

- WAF-4400 (4 Station – Floor Mount)
- WAF-4401 (4 Station – Wall Mount)

Valve Selection:

- PM1 / Single Temp Pneumatic
- EL1 / Single Temp Electronic
- IR / Single Temp Infrared Sensor

Maintenance Friendly

Aquasurf® Executive Lavatory



- Vandal-Resistant
- ADA/UFAS/TAS/CSA *Compliant*
- Affordable alternative to vitreous china
- Impact, stain, & flame resistant
- Heavy-gauge stainless wall bracket
- Integral backsplash
- Integral bowl overflow
- Accommodates most faucets

Configurations:

WEL-2311

- Dimension of Bowl
- 20" x 17" x 4 3/4" Deep

OPTIONS:

- Available in White or Color
- Stainless Steel Shroud (optional)
- Zion Infrared Faucet (optional)

Attractive

Colors



#WG1
White Granite



#SS1
Sandstone



#GG1
Grey Granite



#B1
Bone



#GW1
Glacier White



#RC1
Red Coral



#NB1
Nocturnal Blue



#BG1
Black Granite



#SG1
Sea Green

Aquasurf® Deep Bowl Washfountains

Configurations:

Avail. In 36" & 54" Diameter

Full-Circular Model:

WAF-3606 (6 Station)

WAF-5408 (8 Station)

Valve Selection:

PM1 / Single Temp Pneumatic

EL1 / Single Temp Electronic

IR / Single Temp Infrared Sensor

Vandal-Resistant
ADA/UFAS/TAS/CSA *Compliant*
Adjustable Temperature Control
Easy to Clean Single Basin
Single Waterline Connection
Heavy-Duty Hand Washing
8.5" Deep Bowl Design



Vandal Resistant

Aquasurf® Deep Bowl Washfountains

Configurations:

Avail. In 36" & 54" Width

Semi-Circular Model:

WAF-3603 (3 Station)

WAF-5404 (4 Station)

Valve Selection:

PM1 / Single Temp Pneumatic

EL1 / Single Temp Electronic

IR / Single Temp Infrared Sensor

Vandal-Resistant
ADA/UFAS/TAS/CSA
Compliant
Adjustable Temperature Control
Easy to Clean Single Basin
Single Waterline Connection
Heavy-Duty Hand Washing
8.5" Deep Bowl Design



Maintenance Friendly

Stainless Steel Washfountains

Configurations:

Semi-Circular Model:

Avail. In 36" & 42" Width

ADA @ 1 Location

Full-Circular Model:

Avail. In 36" & 42" Diameter

ADA @ 2 locations

Valve Selection:

PM1 / Single Temp Pneumatic

EL1 / Single Temp Electronic

IR / Single Temp Infrared Sensor

Vandal-Resistant
ADA/UFAS/TAS/CSA *Compliant*
Heavy 12 Gauge Basin
Adjustable Temperature Control
Available Full or Semi Circular
Easy to Clean Single Basin
Single Waterline Connection
Heavy-Duty Hand Washing
"Deep Bowl" Design



Durable



AquaDeck Lavatory Deck System

Elegant in design & durable in structure, AquaDeck lavatories provide a stylish option for multi-user applications.

AquaDeck lavatory deck system, is modularly cast from a superior blend of polyester & acrylic resins. The solid surface bowls and backsplash are cast integrally to the lavatory deck surface. This solid surface material is non-porous, resistant to stain, burn, and impact, and easy to clean.


Made to accommodate any deck faucet, and with multiple options available. The AquaDeck is the perfect solution for any public restroom facility or university dormitory.

Multiple *OPTIONS* Available:

- Color Selections
- Bowl Shape
- Bowl Placement
- Number of Bowls
- Contrasting Bowl Color to Deck Color

2230 SERIES

✓	MODEL NUMBER	NUMBER OF BOWLS	OVERALL SIZE
	WAD-2230-1	1	30"x 22"
	WAD-2230-2	2	60"x 22"
	WAD-2230-3	3	90"x 22"
	WAD-2230-4	4	120"x 22"



2235 SERIES

✓	MODEL NUMBER	NUMBER OF BOWLS	OVERALL SIZE
	WAD-2235-1	1	30"x 22"
	WAD-2235-2	2	60"x 22"
	WAD-2235-3	3	90"x 22"
	WAD-2235-4	4	120"x 22"



2240 SERIES

✓	MODEL NUMBER	NUMBER OF BOWLS	OVERALL SIZE
	WAD-2240-1	1	30"x 22"
	WAD-2240-2	2	60"x 22"
	WAD-2240-3	3	90"x 22"
	WAD-2240-4	4	120"x 22"



2250 SERIES

✓	MODEL NUMBER	NUMBER OF BOWLS	OVERALL SIZE
	WAD-2250-1	1	30"x 22"
	WAD-2250-2	2	60"x 22"
	WAD-2250-3	3	90"x 22"
	WAD-2250-4	4	120"x 22"



2260 SERIES

✓	MODEL NUMBER	NUMBER OF BOWLS	OVERALL SIZE
	WAD-2260-1	1	30"x 22"
	WAD-2260-2	2	60"x 22"





Stainless Steel Lavatory Deck System

Model: ES-2421
 Available in a 1, 2, or 3 station
 Available with IR Faucet
 Available without Faucet
 14-Gauge Stainless Steel
 #4 Satin Finish
 15 3/4" Diameter Round Bowl




The Zion Faucet

Vandal-Resistant Aquasurf®
 All Solid Surface Faucet
 .5 GPM Vandal -Resistant Aerator
 IR Electronic Sensor

*Aesthetically Pleasing:
 The Zion™ can be Color-Matched to
 Aquasurf® Fixtures*

Aquasurf® Shower Receptacle



Aquasurf® Shower Receptacle,
 Tub/Shower Walls are an
 integrated system
 with a pre-manufactured
 pan, integral drain flange,
 and 3/8" thick wall panels in
 lengths of 60", 72", and 84".
 Completed assembly includes
 covered inside corner components.

Commercial Showers

Willoughby Industries is the leading manufacturer of security/prison showers in North America. The vandal-resistance & durability inherent in our security showers is also utilized in our commercial line. These features make Willoughby showers perfect for schools, health clubs, locker rooms, campgrounds, or any other public shower facility.



NOTE: Willoughby Offers A Complete Handicap Shower Package (Grab Bars, Seat, & Curtain).



CWCWS Series (shown)

- Continuous Wall Shower System
- Constructed of heavy gauge stainless steel
- Factory pre-piped
- Available in one to twenty stations
- Barrier Free stations available (optional)
- Multiple valve options
- Multiple showerhead options
- Easy to install



CWCSY Series (shown)

- Column Shower
- Constructed of heavy gauge stainless steel
- Factory pre-piped
- Available in 2 to 6 stations
- Barrier Free stations available (optional)
- Multiple valve options
- Multiple showerhead options
- Easy to install
- Matching ceiling mount pipe shroud available (optional)



CWCSX Series

- Column Shower
- Constructed of heavy gauge stainless steel
- Factory pre-piped
- Available in 2 to 6 stations
- Barrier Free stations available (optional)
- Multiple valve options
- Multiple showerhead options
- Easy to install
- Matching ceiling mount pipe shroud available (optional)

CWSMS Series (shown)

- Single Station Surface Mounted Shower
- Constructed of heavy gauge stainless steel
- Factory pre-piped
- Barrier Free stations available (optional)
- Multiple valve options
- Multiple showerhead options
- Easy to install
- Perfect for retro-fit projects

CWRS-FA Series

- Single Station Recess, Front Mounted Shower Panel
- Constructed of heavy gauge stainless steel
- Factory pre-piped
- Barrier Free stations available (optional)
- Multiple valve options
- Multiple showerhead options
- Easy to install

CWDS Series

- Two Station Surface Mounted Shower
- Constructed of heavy gauge stainless steel
- Factory pre-piped
- Barrier Free stations available (optional)
- Multiple valve options
- Multiple showerhead options
- Easy to install
- Perfect for retro-fit projects



(shown) CWTS Series

- Three Station Surface Mounted Shower
- Constructed of heavy gauge stainless steel
- Factory pre-piped
- Barrier Free stations available (optional)
- Multiple valve options
- Multiple showerhead options
- Easy to install
- Perfect for retro-fit projects



CWBFS-200 Series

- Recess, Front Mounted Handicap Shower
- Optional grab bar, fold-down seat, curtain and curtain rod available
- Industry exclusive stainless steel diverter valve
- Constructed of heavy gauge stainless steel
- Factory pre-piped
- Multiple valve options
- Multiple showerhead options



(shown) CWBFS-250 Series

- Surface Mounted Handicap Shower
- Optional grab bar, fold-down seat, curtain and curtain rod available
- Industry exclusive stainless steel diverter valve
- Constructed of heavy gauge stainless steel
- Factory pre-piped
- Multiple valve options
- Multiple showerhead options



(shown) CWKS Series

- Corner, Surface Mounted Shower
- Constructed of heavy gauge stainless steel
- Factory pre-piped
- Barrier Free stations available (optional)
- Multiple valve options
- Multiple showerhead options
- Easy to install

(shown) CWBIS Series

- Built-in Shower
- Constructed of heavy gauge stainless steel
- Barrier Free stations available (optional)
- Multiple valve options
- Multiple showerhead options
- Easy to install

COMMERCIAL Stainless Steel

Willoughby Industries has been manufacturing with Stainless Steel since 1947, fabricating stainless for both the commercial and correctional markets. Willoughby products are CSA, ADA, UFAS, and TAS COMPLIANT.

For stainless steel plumbing fixtures, contact Willoughby Industries for a quality product. A comprehensive field network of representatives is ready to assist customers in the specification, purchase and service of Willoughby products.



Urinals

- Multi-Person Trough Urinal
- Single Person Trough Urinal
- Straddle Urinal
- Floor Mounted Stall Urinal
- Washout / Blow-out Urinals

Ideal for: Sport Stadiums, Race Tracks, Rest Parks, and Campgrounds



Water Closets

- Carrier Mounted Water Closets
- Blow-out / Siphon Jet Water Closets
- Floor Mounted Water Closets
- Handicap Water Closets
- "WHITE" Epoxy Coated Water Closets

Ideal for: Sport Stadiums, Race Tracks, Parks & High Vandalism Areas



Mop Sinks

(Fabricated from heavy gauge, type 304, all welded stainless steel)

- CWMS-24246 Dim: 24" x 24" x 6"
- CWMS-242412 Dim: 24" x 24" x 12"
- CWMS-32326 Dim: 32" x 32" x 6"
- CWMS-323212 Dim: 32" x 32" x 12"
- CWMS-36366 Dim: 36" x 36" x 6"
- CWMS-363612 Dim: 36" x 36" x 12"



Drinking Fountains

- DF-1812
- All Stainless Steel Bubbler, Pushbutton and Drain
- Handicap Fountains Available

Ideal for: K-12 Schools, Athletic Field Houses, and College Dorms



Please visit our website at:
www.willoughby-ind.com
for downloadable specifications & drawings.

Willoughby Industries, Inc.
2210 W. Morris St. , PO Box 21217
Indianapolis, IN 46221

ph: 317.638.2381 • fax: 317.638.6110 • 800.428.4065
Visit our website at: <http://www.willoughby-ind.com>

